



Erosion Blanket Selection Guide

Product Comparison		Grade and Velocity		Longevity	Degradability
Composition	Netting	Grade	Velocity		
Straw	Single	4:1 - 3:1	5' per sec.	10 months	Photodegradable
Straw	Double	3:1 - 2:1	6' per sec.	10 months	Photodegradable
Excelsior	Single	4:1 - 3:1	5' per sec.	10 months	Photodegradable
Excelsior	Double	3:1 - 2:1	6' per sec.	10 months	Photodegradable
Jute	N/A	4:1 - 3:1	5' per sec.	12 months	100% Biodegradable
Straw/Coconut	Double	2:1 - 1:1	8' per sec.	24 months	Photodegradable
Coconut	Double	1:1 or Greater	9' per sec.	36 months	Photodegradable
TRM	Double	1:1 or Greater	9'-18' per sec.	Permanent	N/A